



D.O.O. PMD
AGROTECH
poljoprivredne mašine

Karanfil Jovanović
+381 63 653 556

D.O.O. PMD
AGROTECH

www.agrotech.rs

PRODAJA POLJOPRIVREDNE MEHANIZACIJE

Traktori, kombajni i priključne mašine

STEYR

 **ArmaTrac**

ROSTSELMASH
VERSATILE

 **WEIDEMANN**

SULKY

IDROFOLIA

FARESIN
INDUSTRIES

HORSCH

BERTHOUD

 **GRÉGOIRE
BESSON**

 **RABE**

ma/ag

 **HE-VA**

M-Hale

OROS



 **APV**
www.apv.at

 **hauer**

FOR

 **Fliegl**

Trešnjevac
Tel.: 024 224 224

Novi Sad
Tel.: 021 6419 809

Novi Bečej
Tel.: 023 771 500

Aleksandrovac
Tel.: 063 653469

D.O.O. PMD
AGROTECH
poljoprivredne mašine

SERVIS

POLJOPRIVREDNE

MEHANIZACIJE

Tel.: 069 614 000

www.agrotech.rs





**MOTORNA I
HIDRAULIČNA ULJA**



SEGEDINSKI KANAP

ZA BALIRANJE




**KVALITETNE MREŽE
ZA BALIRANJE**



Novina u našem asortimanu



Valvoline™



POUZDAN PARTNER

KADA ŽELITE DA UŠTEDITE

VREME I NOVAC

MAKSIMALNA PRECIZNOST, MAKSIMALNA MREŽNA POKRIVENOST
SA S-TECH-OM I AGROTECH RTK+ MREŽOM

www.agrotech.rs

Tel.: 024 224 224

ZASTUPNIK STEYR TRAKTORA ZA SRBIJU



STEYR
TRAKTOREN



STEYR KOMPAKT

STEYR
TRAKTOREN



Uzani
točkovi



TEŽINA
4.300 kg

7 modela : 4055 S, 4065 S, 4080, 4090, 4100, 4110, 4120.

- Mnogo opcija za sve zadatke
- **Multi kontroler palica**

3 YEARS
Warranty

Model	MOTOR	Snaga [KS]	Transmisija	Podizna moć hidraulike	Težina Min / max [kg]
Kompakt 4080	3,6 L, 4 cil. 4 ventila/cilind. Common Rail TC, intercooler STAGE V	80	12 x12 Mehanički reverzer 24x24 Reverzer+ Hi-LO 40 km/h 540/540 E/1000	Elektronska kontrola hid. Priključci: - 3 meh. zadnja -2 meh. + Srednji priključci,	3600 / 5300
Kompakt 4090		90			
Kompakt 4100		100			
Kompakt 4110		110			
Kompakt 4120		117			



STEYR MULTI

STEYR
TRAKTOREN

Tri modela : 4100, 4110, 4120

Robotizovana powershift transmisija

Visoko kvalit. univerzalni traktor

Velika podizna moć

Prednja suspenzija

Suspenzija kabine

Multi kontroler



3 YEARS
Warranty

Model	MOTOR	Snaga [KS]	Transmisija	Podizna moć hidraulike	Težina Min / max [kg]
Multi 4100	3,4 L, 4 cil.indra Common Rail CEGR + SCR + Diesel Oxidation Catalyst TC, intercooler	101	Četvorostepena powershift transmisija 32x32 40 km/h ECO 540/540 E/1000/100 E	Elektronska kontrola hid.	4390 / 8000
Multi 4110		110		Priključci: - 3 meh. zadnja - 1 ili 2 para elektro upravljivih izvoda	
Multi 4120		117		- 2 meh. + Srednji priključci, 5600 kg	



STEYR EXPERT CVT

STEYR
TRAKTOREN

NOVI MODEL

Četiri modeli:

4100, 4110, 4120, 4130

Kompaktne dimenzije

Kontinualno varijabilna transmisija

Mala potrošnja goriva

ISO BUS – priključci

Fabrička priprema za navigaciju



S TECH monitor / ISO BUS

NOVO!!!

3 godine garancije na sve modele



3 YEARS
Warranty

TEŽINA
5.600 kg



STEYR PROFI

STEYR
TRAKTOREN



Modeli:

Steyr PROFI CLASSIC - 4125 6145

Steyr PROFI - 4125, 4135, 4145 i 6145

Steyr PROFI CVT – 4115, 4125, 4135, 4145 i 6145





STEYR PROFI

STEYR
TRAKTOREN

Model	Motor	Snaga [KS]	Transmisija	Podizni mehanizam	Težina Min / max [kg]
Profi 4115	FPT 4,5 L, 4 cilindra 4 ventila, TK, interkuler Common Rail	130	Power shift 16x16 ili 17x16 S – Control 8 CVT	Elektronska kontrola hid. 125 CCLS pumpa Priključci: - 4 meh. zadnja ili - 4 el.-hidra. zadnja 7115 kg 7864 kg	4890 / 9500
Profi 4125					
Profi 4135					
Profi 4145					
Profi 6145	6,7 L, 6 cilindara, 4 ventila, TK, interkuler, Common rail	165			5020 / 9500





S TECH monitor / ISO BUS

TEŽINA
7.800 kg

Tri modela : 6150, 6165 i 6175

Traktor sa visokim performansama

Premium Kabina

CVT transmisija

Kompaktne dimenzije



STEYR IMPULS CVT

STEYR
TRAKTOREN

Modeli	Motor	Snaga [ks]	Transmisija	Hidraulika Max Pod. Moć	Težina Min / max [kg]
6150 IMPULS CVT	FPT	180	CVT sa tehnologijom duplog kvačilo 40 km/h ECO, 3 brzine PVT,	Elektronska kontrola hid.	6480/ 11500
6165 IMPULS CVT	6,7 L, 6 cilindara, 4 ventila, elektronsko ubrizgavanje	200		-5 el. – hidraulič,	
6175 IMPULS CVT	TK, interkuler, Common Rail Hi-eSCR Tehnologija	205		8260 kg	





Četiri modela:

6185, 6200, 6220, 6240

360° LED- osvetljenje

CVT transmisija

Najbolji u klasi po potrošnji goriva

Za Profesionalne poljoprivrednike

3 YEARS
Warranty

TEŽINA
9.000 kg



S TECH monitor / ISO BUS

STEYR ABSOLUT CVT

STEYR
TRAKTOREN

Modeli	Motor	Snaga [KS]	Transmisija	Hidraulika Maks Pod. Moć	Težina Min / max [kg]
6185 ABSOLUT CVT	FPT 6.7 L, 6 cilindara 4 ventila Elek. Ubrizgavanje TC, interkuler, Common Rail Hi e-SCR Tehnologija	215	CVT	EDC	6950 / 13000
6200 ABSOLUT CVT		236	Tehnologija duplog kvačila , APM	Hidr. priključci: - 4 meh zadnja ili - 5 el.-hidr. Zadnjih - 4 el.-hidr. Srednjih	
6220 ABSOLUT CVT		251	40 km/h	Power Beyond	
6240 ABSOLUT CVT		260	4 brzine PVT	10463 kg	





STEYR TERUS CVT

STEYR
TRAKTOREN



3 YEARS
Warranty

- ✦ Tri modela u ponudi: 6250, 6270 i 6300
- ✦ Snagu dobija od FPT motora 6,7 l
- ✦ CVT transmisija
- ✦ Easytronic II sistem za pamćenje operacija na uvratinama
- ✦ 2,995 mm međuosovinsko rastojanje
- ✦ Maximum ugao skretanja 55°
- ✦ Prednja osovina i kabina sa suspenzijom u standardnoj opremi
- ✦ Maksimalna opterećenost traktora 16.000 kg
- ✦ Do 20 LED radnih svetala



3 YEARS
Warranty



Podizni mehanizam

- ✦ DO 11.058 kg podizna moć
- ✦ Spoljna komanda za pod. Mehanizama, PVT, i jednu hidrauličnu funkciju.

Prednji podizni mehanizam

- ✦ Do 5,821 kg.

Hidraulični protok

- ✦ Do 223 l/min protok
- ✦ 5 zadnjih hid priključaka i 3 srednja hid priključaka.

PVT

- ✦ 4 brzine
- ✦ Elektronsko biranje brzina

ISOBUS III

S-TECH 700

630 L rezervoar za gorivo

Kombajni sa klasičnom vršidbenom komorom



Nova 330

- Motor: Cummins 175KS
- Broj slamotresa: 4
- Kapacitet bunkera: 4500 l
- Prečnik bubnja 600 mm
- Heder: 4m
- 2 godine garancije



Kombajni sa klasičnom vršidbenom komorom



Vektor 425

- Motor: Cummins 220KS
- Broj slamotresa: 4
- Kapacitet bunkera: 6000 l
- Prečnik bubnja 800mm

Acros 595 Plus

- Motor: Cummins 335 KS
- Broj slamotresa: 5
- Kapacitet bunkera: 9000 l
- Prečnik bubnja: 800 mm



Versatile

 **VERSATILE**



ArmaTrac traktori

D.O.O. PMD
AGROTECH
poljoprivredne mašine



 **Perkins**



 **CARRARO**

PRODATO NA TRŽIŠTU SRBIJE PREKO 1350 TRAKTORA

STEYR  **HE-VA**  **Fliegl** **SULKY** **BERTHOUD** **M-Hale** **APV**  **HORSCH** **ma/ag**    


Armatrac	512/514	584	604e	704e+	854 LUX	1054e+	1104 Lux
Motor	Sonalika 49 KS	Sonalika 58 KS	Sonalika 58 KS	Perkins 74 KS	Perkins 84 KS	Perkins 102 KS	Perkins 110 KS
	Tier 0	Tier 0	Tier 0	Tier 0	Tier 0	Tier 3	Tier 3
Transmisija	8+8	Cararo 12+12	Cararo 12+12	Cararo 12+12	ZF 16+8	Cararo 12+12	ZF 16+16
Ostala oprema	Bez kabine	Sa kabinom	Sa kabinom	Klima, Kompresor, Hidraulični topling, donja fiksna i gornja pomerljiva poteznica....			
CENA:	9.990/12.800 eur+PDV	14.990 eur+PDV	16.990 eur+PDV	20.490 eur+PDV	22.490 eur+PDV	26.490 eur+PDV	31.990 eur+PDV



Sulky rasipači mineralnog đubriva



- Zapremina rezervoara od 900-4200 l
- Dupli prohromski diskovi
- Radni zahvat 9-50m
- Vaga
- ISOBUS Quartz 800 terminal



MEHANIČKE SEJALICE

- Tramline SE/SX
- Radni zahvati 3 i 4 m
- Stalni tragovi
- S Brana
- Pritisni točkovi

Gregoire Besson plugovi





HE-VA Valjci




- Stvaranje dobre setvene strukture zemljišta
- Radni zahvati od 4,5 m do 20,3 m

**Elastičnost –
uravnotežena masa**

HE-VA



PLIVAJUĆI POLOŽAJ BOČNIH BATERIJA, JEDINI NA TRŽIŠTU



Najbolji, i jedini na tržištu, raspored težine na bočne baterije

Sejalice

ma/ag
MACCHINE AGRICOLE




➤ Setvena sekcija za kukuruz, soju, suncokret...



➤ Setvena sekcija za šećernu repu

Sub-Tiller podrivač

- Brza zamena sigurnosnih bolcni.
- Hidraulično podešavanje dubine rada preko valjka
- Specijalan dizajn radnih organa garantuje manju potrošnju goriva i razbijanje plužnog đona.
- Podešavanje visine radnih organa od 50 cm na više.



Tifoni italijanskog proizvođača IDROFOGLIA



STEYR ArmaTrac HE-VA EPR Fliegl SULKY BERTHOUD M-Hale APV HERRER HORSCH ma/ag IDROFOGLIA

Sistemi za navodnjavanje – američke proizvodnje



Centar pivot sistem za navodnjavanje

Linearni sistemi za navodnjavanje



Prikolice za transport robe





Oprema za stočarstvo



FOP



Germinatori

- Nošeni 3 m
- Vučeni od 3,2 - 9 m
- Robusna konstrukcija
- Od 50-170 radnih tela

Setvospremači

- Serija L nošeni 2,1 - 3,3 m
- Serija M nošeni 3,7 - 8 m
- Serija S vučeni 7 - 12 m





Međuredni kultivatori sa depozitorima

- Radnog zahvata 2 – 12 redova
- Klasične motičice ili „S” oprugama
- Zaštitni diskovi





AgroTill 210 – podrivač

- Ram u obliku slova V
- Radna dubina do 50 cm
- Potrebna snaga traktora 120 KS

AgroCut 300 – sečka za suncokret

- Kačenje mašine na prednji ili zadnji podizni mehanizam traktora
- Osnovna težina mašine 1300 kg



USKORO – Kratka tanjirača 3 m nošena i gruber 3 m radnog zahvata





Oprema za stočarstvo



BERTHOUD®


Prskalice



D.O.O. PMD
AGROTECH
poljoprivredne mašine

PRISUTNI SMO NA

DRUŠTVENIM MREŽAMA



#pratitenas

www.agrotech.rs

STEYR ArmaTrac HE-VA EPR Fliegl SULKY BERTHOUD M-Hale APV HAUER HORSCH ma/ag IDROFOGLIA

ONEORE SESSION RABE

SRB - 24426 Trešnjevac Topolski put 2 tel./fax: +381(0)24 224 224 e-mail: info@agrotech.rs

www.agrotech.rs



D.O.O. PMD

AGROTECH

poljoprivredne mašine

*Hvala na pažnji ! I želim
Vam uspešnu godinu !!!*